

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"09/654643"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 12:56
L2	4	"09/655010"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 12:57
L3	2	"6772351".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 12:57
L4	2	"5604468".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 15:16
L5	2	"5798918".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 15:16
L6	2	"6006169".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 15:16
L7	2	"6204785".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 15:16
L8	2	"4748637".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 15:16
L9	2	"5254883".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 15:16

L10	2	"5608755".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 15:16
L11	1	"wo 99 10982"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 15:16
L12	3	"wo 99/10982"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 15:16
L13	2	"4481625".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 15:16
L14	2	"5534795".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 15:16
L15	2	"5534798".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 15:16
L16	18	"5663663".pn. "5751168".pn. "5757712".pn. "5867010".pn. "5973508".pn. "5986472".pn. "6097215".pn. "6140841".pn. "6160421".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 15:16
L17	2	"6215635".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L18	1	"09/964911"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16

L19	7	multi adj level adj current adj mode adj driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L20	5	"9910982"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L21	2	"6094075".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L22	2	"6294934".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L23	17527	(reference near voltage) and (current near control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L24	2676	(reference near voltage) with (current near control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L25	1476	(reference adj voltage) with (current adj control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L26	67	(reference adj voltage) with (current adj control) with (voltage adj generator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16

L27	1	(reference adj voltage) with (current adj control) with (voltage adj generator) with (shift\$4 adj level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L28	3	(reference near voltage) with (current near control) with (voltage near generator) with (shift\$4 near level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L29	11	(reference near voltage) same (current near control) same (voltage near generator) same (shift\$4 near level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L30	0	(reference near voltage) same (current near control) same (voltage near generator) same (shift\$4 near level) and (three near level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L31	11	(reference near voltage) same (current near control) same (voltage near generator) same (shift\$4 near level) same levels	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L32	2	"6094075".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L33	6039	(reference near voltage) and (current near control) and shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L34	50	(reference near voltage) with (current near control) with shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16

L35	1	(reference near voltage) with (current near control) with shift\$4 and pam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L36	35	(reference adj voltage) with (current adj control) with shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L37	181	(reference adj voltage) same (current adj control) same shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L38	1	L37 and PAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L39	181	(reference adj voltage) same (current adj control) same shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L40	1	((multi adj level) with (reference adj voltage)) same (current adj control) same shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L41	1	((multi adj level) same (reference adj voltage)) same (current adj control) same shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L42	1	((multi near level) same (reference adj voltage)) same (current adj control) same shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16

L43	1	((multi near level) same (reference near voltage)) same (current adj control) same shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L44	1	((multi near level) same (reference near voltage)) same (current near control) same shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L45	352	((reference near voltage)) same (current near control) same shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L46	2	L45 and multilevel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L47	3	L45 and multi adj level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L48	14	"60/057400"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L49	14	"60/073353"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L50	674	375/286	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16

L51	1	L45 and L50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L52	238	375/287	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L53	0	L45 and L52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L54	915	375/242	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L55	0	L45 and L54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L56	152	375/353	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L57	0	L45 and L56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L58	147	326/60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16

L59	0	L45 and L58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L60	532	326/62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L61	2	L45 and L60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L62	600	326/63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L63	2	L45 and L62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L64	2317	326/86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L65	0	L45 and L64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L66	497	326/90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16

L67	0	L45 and L66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L68	1120	326/80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L69	1	L45 and L68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L70	1355	326/82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L71	1	L45 and L70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L72	2906	713/300	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L73	1	L45 and L72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L74	1	((reference near voltage)) same (current near control) same shift\$4 and PAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16

L75	3572179	three near (voltage adj level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L76	993	three near (voltage adj level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L77	17	three near (voltage adj level) and PAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L78	20	four near (voltage adj level) and PAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L79	12	("4178480" "4205203" "4383313" "4432031" "4607345" "4620294" "4627047" "4882586" "4907222" "4967195" "5281756" "5576695").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 15:16
L80	27	pam adj encoder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L81	8	pam adj encoder and voltage adj level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L82	17	pam adj (encoder or modulator) and voltage adj level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L83	1	(pam adj (encoder or modulator)) with ((voltage or signal) adj level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16

L84	190	pam with ((voltage or signal) adj level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L85	179	pam with ((voltage or signal) adj level) and reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L86	58	pam with ((voltage or signal) adj level) and (reference adj (signal or level))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L87	3	("4250492" "5019821" "6295013").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 15:16
L88	2058	pulse adj amplitude adj modulation	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 15:16
L89	42	L88 and L86	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 15:16
L90	74	L88 and (three near level)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 15:16
L91	306	L88 and crosstalk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L92	10	L88 with crosstalk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L93	10	"09/141675"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16

L94	16	voltage adj reference adj driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L95	2	voltage adj reference adj generator near driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L96	2	(voltage adj reference adj generator) near driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L97	44	(voltage adj reference adj generator) with driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L98	4	"585749".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L99	2	"5585749".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L100	182	(reference near voltage) and (current near control) and (voltage near generator) and (shift\$4 near level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L101	103	L100 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16

L102	1	L101 and pam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L103	1	L101 and pulse adj amplitude adj modulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L104	3	L101 and amplitude adj modulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L105	11	(reference near voltage) same (current near control) same (voltage near generator) same (shift\$4 near level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L106	1	L105 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L107	9491	voltage adj divider and voltage adj reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L108	6	resistive adj voltage adj divider and voltage adj reference and pam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L109	665	resistive adj voltage adj divider and voltage adj reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16

L110	45	voltage adj divider and voltage adj reference and pam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L111	300	equalization adj current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L112	1	L100 and L111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L113	797	voltage adj reference adj generator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L114	0	L111 and L113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L115	16392	current adj mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L116	20	L100 and L115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L117	1	pam and equalization adj current adj control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16

L118	3	pam and (equalization with current with control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L119	25	pam and (equalization same current same control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L120	2	memory adj bus with reference adj voltage adj level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L121	2	"6772351".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L122	274	multi with PAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L123	3364277	(multi with PAM) current wit calibration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L124	11	(multi with PAM) and (current with calibration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L125	12947	(current with calibration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16

L126	1109	(current adj calibration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L127	1683	(current with calibration with control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L128	523	(current with calibration with control) and (reference with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L129	340	(current with calibration with control) and (reference adj voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L130	1247	(current with calibration) and (current with control) and (reference adj voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L131	16	(current with calibration) and (current with control) and (reference adj voltage) and PAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L132	8	(current with calibration) and (current with control) and (reference adj voltage) and (multi with PAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L133	274	(multi with PAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16

L134	11	(multi with PAM) and (current with calibration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L135	69	(multi with PAM) and (reference with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L136	111	(multi with PAM) and (equalizati\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L137	9	(multi with PAM) with (equalizati\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L138	29	(multi with PAM) and (equalizati\$3) and (reference with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L139	13	(multi with PAM) with calibrat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L140	50	(PAM) with calibrat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L141	21	(PAM with multi) same calibrat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16

L142	17	(PAM) same calibrat\$3 same driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L143	17	(PAM) same calibrat\$3 same driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L144	38	(PAM) same calibrat\$3 same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L145	171	PAM and calibrat\$3 same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L146	36	PAM with calibration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L147	70	PAM with equalization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L148	0	(PAM with equalization) same (offset with current)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L149	7	(PAM with equalization) and (offset with current)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16

L150	2	"6873939".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L151	2	"6772351".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L152	674	375/286	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L153	128	375/292	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L154	79	L152 and pam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L155	4	L147 and L152	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L156	2	L147 and L153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:16
L157	2	"6772351".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:49

L158	2	(current and calibration and pam and multi and level).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:49
------	---	---	---	----	----	------------------

 PALM INTRANETDay : Tuesday
Date: 12/13/2005
Time: 15:38:07

Inventor Information for 09/964911

Inventor Name	City	State/Country
ZERBE, JARED	WOODSIDE	CALIFORNIA
WERNER, CARL	LOS GATOS	CALIFORNIA

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)[Inventor](#)

Search Another: Application#

or Patent#

PCT /

/

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Application
Number

SEARCH

IDS Flag Clearance for Application 09964911

IDS
Information

Content	Mailroom Date	Entry Number	IDS Review	Reviewer
M844	04-03-2002	7	<input checked="" type="checkbox"/>	04-12-2002 09:50:23 dwendemagegeh
M844	08-05-2002	8	<input checked="" type="checkbox"/>	08-14-2002 12:55:03 dwendemagegeh
M844	10-01-2002	9	<input checked="" type="checkbox"/>	10-10-2002 12:43:21 dwendemagegeh

UPDATE